

Mr. Peter Schram
AG Producers Services, Cargill, Inc.
P. O. Box 337
Tipton, IN 46072

Re: 159-15323
Second Administrative Amendment to
FESOP 159-12501-00005

Dear Mr. Schram:

AG Producers Services, Cargill, Inc., was issued a FESOP on December 14, 2001, for a stationary wholesale grain processing operation. A letter requesting the correction of a typographical error was received on December 26, 2001. According to 326 IAC 2-8-10(a)(1), an administrative amendment can be used for a revision that "corrects typographical errors". Therefore, pursuant to the provisions of 326 IAC 2-8-10 the permit is hereby administratively amended as follows (~~strike-out~~ to show deletions and **bold** to show additions):

D.1.7 Parametric Monitoring

The Permittee shall record the total static pressure drop across the baghouses used in conjunction with the processes mentioned above, at least once per shift when the processes are in operation when venting to the atmosphere. Unless operated under conditions for which the Compliance Response Plan specifies otherwise, the pressure drop across the baghouses shall be maintained within the range of 0.5 and ~~0-6~~ **6.0** inches of water or a range established during the latest stack test. The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when the pressure reading is outside of the above mentioned range for any one reading. Failure to take response steps in accordance with Section C - Compliance Monitoring Plan - Failure to Take Response Steps, shall be considered a violation of this permit.

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Madhurima Moulik, at (800) 451-6027, press 0 and ask for Madhurima Moulik or extension 3-0868, or dial (317) 233-0868.

Sincerely,

Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

Attachments

mm

cc: File - Tipton County
U.S. EPA, Region V
Tipton County Health Department
Air Compliance Section Inspector - Marc Goldman
Compliance Data Section - Karen Nowak
Administrative and Development - Janet Mobley
Technical Support and Modeling - Michele Boner

**FEDERALLY ENFORCEABLE STATE
OPERATING PERMIT (FESOP)
OFFICE OF AIR QUALITY**

**Ag Producer Services, Cargill, Inc.
500 East State Road 28
Tipton, Indiana 46072**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-8 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: F159-12501-00005	
Issued by: Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: December 14, 2001

First Administrative Amendment No.: 159-15174 Issuance Date: Pending

Second Administrative Amendment No: 159-15323	Page Modified: 32
Issued by: Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date:

than one hundred (100) tons per year (22.83 lb/hr). Compliance with these limits and the use of baghouses make 326 IAC 2-7 (Part 70 Permit program) not applicable.

D.1.4 Preventive Maintenance Plan [326 IAC 2-8-4(9)]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for these facilities and any control devices.

Compliance Determination Requirements

D.1.5 Particulate Matter (PM)

In order to comply with D.1.1, D.1.2, and D.1.3, each baghouse shall be in operation at all times that its respective facility is in operation.

Compliance Monitoring Requirements [326 IAC 2-8-5(a)(1)]

D.1.6 Visible Emissions Notations

- (a) Visible emission notations of each stack exhaust shall be performed once per shift during normal daylight operations when exhausting to the atmosphere. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed. Failure to take response steps in accordance with Section C - Compliance Monitoring Plan - Failure to Take Response Steps, shall be considered a violation of this permit.

D.1.7 Parametric Monitoring

The Permittee shall record the total static pressure drop across the baghouses used in conjunction with the processes mentioned above, at least once per shift when the processes are in operation when venting to the atmosphere. Unless operated under conditions for which the Compliance Response Plan specifies otherwise, the pressure drop across the baghouses shall be maintained within the range of 0.5 and 6.0 inches of water or a range established during the latest stack test. The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when the pressure reading is outside of the above mentioned range for any one reading. Failure to take response steps in accordance with Section C - Compliance Monitoring Plan - Failure to Take Response Steps, shall be considered a violation of this permit.

The instrument used for determining the pressure shall comply with Section C - Pressure Gauge and Other Instruments Specifications, of this permit, shall be subject to approval by IDEM, OAQ, and shall be calibrated at least once every six (6) months.

D.1.8 Baghouse Inspections

An inspection shall be performed each calendar quarter of all bags controlling the processes mentioned above when venting to the atmosphere. A baghouse inspection shall be performed

within three months of redirecting vents to the atmosphere and every three months thereafter. Inspections are optional when venting to the indoors. All defective bags shall be replaced.